


Hybrid Systems: The VISTA Light Commercial Solutions Family At-A-Glance

A proven, highly reliable solution, the VISTA® light commercial platform supports both burglary and fire alarm applications and a vast number of hardwire, V-Plex® and wireless options, maximizing installation flexibility.



	BURGLARY		FIRE/BURGLARY		
SYSTEM CAPACITIES	VISTA-128BPT	VISTA-250BPT	VISTA-32FBPT	VISTA-128FBPT	VISTA-250FBPT
Maximum Zone Capacity	128	250	32	128	250
Maximum Standard Hardwire Zones	9	9	8	8	8
Maximum Wireless Expansion Zones	127	249	32	127	249
V-Plex® Devices	119	241	24	120	242
Two-Wire Smokes	16 (Zone 1)	16 (Zone 1)	32 (Zone 1 & 2)	32 (Zone 1 & 2)	32 (Zone 1 & 2)
Four-Wire Smokes	Zone 1-128	Zone 1-250	Zone 1-32	Zone 1-128	Zone 1-250
Maximum Number of Keypads	31 (Alpha) 6 (Graphics)	31 (Alpha) 6 (Graphics)	31 (Alpha) 6 (Graphics)	31 (Alpha) 6 (Graphics)	31 (Alpha) 6 (Graphics)
User Codes	150	250	75	150	250
Number of Partitions	8	8	2	8	8
Output Relays	96	96	96	96	96
Access Control Relays	8 Doors	15 Doors	8 Doors	8 Doors	15 Doors
Schedules	20	20	20	20	20
Event Log	512	1000	512	512	1000
UL	985/1023, 609/365, 611/1610, 1037/1076, 1635	985/1023, 609/365, 611/1610, 1037/1076, 1635	864/609, 611/1610, 365, 1076	864/609, 611/1610, 365, 1076	864/609, 611/1610, 365/985, 1076
ULC/ORD	S303, S304, S545, C1023 C1076	S303, S304 S545, C1023	S303, 304, S559, S545 C1023	S303, 304, S559, S545 C1023	S303, 304, S559, S545 C1023

CONTROL PANEL



BURGLAR ALARM


VISTA-128BPT
VISTA-250BPT

FIRE/BURGLAR ALARM

VISTA-32FBPT
VISTA-128FBPT
VISTA-250FBPT

KEYPAD OPTIONS

GRAPHIC TOUCHSCREENS



6290W (Honeywell Home branded)
6290WC (Resideo branded)
7" Color Touchscreen Keypad with Voice



TUXEDOW (Honeywell Home branded)
TUXEDOWC (Resideo branded)
7" Color Touchscreen Keypad with Voice and Automation

HARDWIRED SYSTEMS



6160
32 Character Alpha Display Keypad



6160CR-2
Light Commercial Fire Alpha Keypad UL864 Rev 9 Listed



6460W (White)
6460S (Silver)
Premium Alpha Keypad

HYBRID SYSTEMS (Hardwired and Wireless)



6160RF
Deluxe Custom Alpha Integrated Keypad/Transceiver


ZONE EXPANDERS

V-Plex®



4101SN Addressable Relay Module
4190SN Remote Two Zone Point Module
4193SN/4193SNP SIM Serial Interface Module
4208EX Eight Zone V-Plex Expander
4208SN Serialized Eight Zone Remote Point Module
4208SNF Universal Class A & Class B Expander Module
4297 Extender Module

Hardwired Relays



4204
Intelligent Four Zone Relay Board
4204CF
Supervised Appliance Module (Two NAC circuits)

WIRELESS RECEIVERS/REPEATERS



5883H
Wireless Transceiver
5881ENL
Up to 8 zones



5881ENM
Up to 16 zones
5881ENH
Unlimited zones depending on control panel

5800RP
Wireless Repeater

COMMUNICATORS

HYBRID



LTE-XA (AT&T)
LTE-XV (Verizon)
LTE-XC (Bell)**
4G LTE Communicator

HYBRID MULTI-PATH



LTE-IA (AT&T)
LTE-IV (Verizon)
LTE-IC (Bell)**
4G LTE and Internet Multi-Path Communicator

INTERNET COMMUNICATORS



7847i
Internet Communicator
7847i-E
Enterprise IP Communicator

HIGH SECURITY



LTE-HSV
4G LTE High Security Multi-Path Communicator

FIRE



LTE-CFA/CFV
Light Commercial Fire Internet and LTE Communicators

VIDEO/AUTOMATION



IPCAM-WIC2
HD Wi-Fi® Indoor Video Camera




IPCAM-WOC1
HD Wi-Fi Outdoor Video Camera



4232CBM
Connected Building Module for Automation

APP



Resideo Total Connect 2.0 and AlarmNet Plans

Security – Transmission of alarm signals

Smart Security – Security plus remote control of security functions and system notifications

Smart Home – Smart Security plus automation services for controlling lights, smart scenes and Amazon Alexa

SECURITY AND SAFETY

DOOR/WINDOW CONTACTS

V-Plex®



4191SN
V-Plex Contact
Recessed

4939SN-WH
V-Plex Contact
Surface

4959SN
V-Plex Contact
Overhead Door

Hardwired



958/959/MPS52
Overhead Door Magnetic Contact

951WG
3/8" Diameter Miniature
Press Fit Magnetic Contact

7939-2
Magnetic Contact

7939WG
Magnetic Contact

Wireless



5800MINI
5800MINI BR
Door/Window
Contact CR2032*

5816WMWH
5816WMBR
Two Zone Door/Window
Transmitter CR123*

5800RPS
Recessed
Transmitter
1620*

5817CBXT
Light
Commercial
Transmitter
CR123*

5820L
Slimline
Door/
Window
Transmitter
AAA*

GLASSBREAK AND SHOCK SENSORS

V-Plex®



FG1625SN
V-Plex
Glassbreak
Detector

Hardwired



FG1625/1625T
Glassbreak Detector
FG1625F
Flush Mount Glassbreak Detector
FG-1625R / 1625RT
Glassbreak Detector

Wireless



5853
Glassbreak
Detector
CR123 (2)*

5819S (White)
5819S-BR (Brown)
Shock Processor
and Transmitter
CR123*

5800SS1
Shock
Sensor
CR2*

MOTION SENSORS

V-Plex®



DT8050A-SN
IS3050A-SN
V-Plex Motion
Detector


Hardwired



IS3035 (35')
IS3050 (50')
PIR Motion Detector

IS310/320
Request-To-Exit PIR


Wireless



5800PIR
PIR with Selectable
Pet Immunity and
Low Temperature
Alert
CR123*

5898
X-Band DUAL
TEC® Motion
Sensor
AA (4)*

FLOOD PROTECTION



5800FLOOD
Temperature
Sensor and
Flood Detector
CR123*



5821
Temperature Sensor and Flood Detector CR123*
FP280
External Probe for Flood Sensing
T280R
External Probe for Freezer and Refrigeration
Monitoring

OUTDOOR PROTECTION



5800PIR-OD2
Outdoor Motion
Sensor
AA (2)*

5816OD
Outdoor Contact/
Transmitter
AA (2)*

SOUNDERS

Hardwired



WAVE2
Two-tone
Siren



702
Self-contained
Electronic Siren

Wireless



5800WAVE
Siren
(Requires
transceiver)

ASSET PROTECTION



5870API-WH
5870API-GY
Indoor Asset
Protection Sensor
CR2 (1)*

HOLD-UP SWITCH



269R 269SN
270R 5869
Hold-up Switches
(Available in wired, V-Plex®
and wireless versions)



264
Moneyclip



266
Foot Rail

ACCESS CONTROL



VISTAKEY
V-Plex® Single
Door Access
Control System

LIFE SAFETY

V-Plex®



5193SD
V-Plex Addressable
Smoke Detector

5193SDT/5193SDTA**
V-Plex Addressable
Photoelectric Smoke
Detector with Integral
Heat Sensor

Hardwired



5140MPS-1
5140MPS-2
Manual
Pull Stations

Wireless



5806W3/
5806W3A**
Smoke Detector
CR123*



5800CO/
5800COA**
Carbon Monoxide
Detector CR123*



5808W3/5808W3A**
Smoke and Heat Detector
with Low Temperature
Detection CR123*



5800COMBO/
5800COMBO-CN**
Combination Smoke/Carbon
Monoxide Detector CR123 (4)*



5809SS
Rate-of-Rise
Fixed
Temperature
Heat Detector
CR123*



Resideo Technologies, Inc.

2 Corporate Center Drive, Suite 100

P.O. Box 9040

Melville, NY 11747

1-800-645-7492

resideo.com

L/VSTAAGCB/D | 08/20

© 2020 Resideo Technologies, Inc.

All rights reserved. This product
is manufactured by Resideo
Technologies, Inc. and its affiliates.